# Eurocode 1: Actions on structures —

Part 1-4: General actions — Wind actions

BS EN 1991-1-4:2005 +A1:2010

Incorporating corrigenda July 2009 and January 2010

 $ICS \ 91.010.30$ 



## National foreword

This British Standard is the UK implementation of EN 1991-1-4:2005+A1:2010, incorporating corrigendum January 2010. It supersedes BS EN 1991-1-4:2005 which is withdrawn. Details of superseded British Standards are given in the table below.

The start and finish of text introduced or altered by amendment is indicated in the text by tags. Tags indicating changes to CEN text carry the number of the CEN amendment. For example, text altered by CEN amendment A1 is indicated by  $\boxed{\text{A1}}$ .

The start and finish of text introduced or altered by corrigendum is indicated in the text by tags. Text altered by CEN corrigendum January 2010 is indicated in the text by  $\boxed{AC_2}$   $(AC_2)$ .

NOTE The content of CEN corrigendum January 2010 replaced the content of CEN corrigendum July 2009.

The structural Eurocodes are divided into packages by grouping Eurocodes for each of the main materials: concrete, steel, composite concrete and steel, timber, masonry and aluminium; this is to enable a common date of withdrawal (DOW) for all the relevant parts that are needed for a particular design. The conflicting national standards will be withdrawn at the end of the coexistence period, after all the EN Eurocodes of a package are available.

Following publication of the EN, there is a period allowed for national calibration during which the National Annex is issued, followed by a co-existence period of a maximum three years. During the co-existence period Member States are encouraged to adapt their national provisions. At the end of this co-existence period, the conflicting parts of national standard(s) will be withdrawn.

In the UK, the following national standards are superseded by the Eurocode 1 series and, based on this transition period, these standards have now been withdrawn.

Eurocode	Superseded British Standards
EN 1991-1-1	BS 6399-1:1996
EN 1991-1-2	none
EN 1991-1-3	BS 6399-3:1988
EN 1991-1-4	BS 6399-2:1997, BS 5400-2:1978*
EN 1991-1-5	BS 5400-2:1978*
EN 1991-1-6	none
EN 1991-1-7	none
EN 1991-2	BS 5400-1:1988, BS 5400-2:1978*
EN 1991-3	none
EN 1991-4	none
* BS 5400-2:1978 will ;	not be fully superseded until publication of Anney A

\* BS 5400-2:1978 will not be fully superseded until publication of Annex A.2 to BS EN 1990:2002.

#### Amendments/corrigenda issued since publication

Date	Comments
31 December 2009	Implementation of CEN corrigendum July 2009
31 August 2010	Implementation of CEN corrigendum January 2010
31 January 2011	Implementation of CEN amendment A1:2010

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 25 April 2005

 $\bigcirc$  BSI 2011

The UK participation in its preparation was entrusted by Technical Committee B/525, Building and civil engineering structures, to Subcommittee B/525/1, Actions (loadings) and basis of design.

A list of organizations represented on this subcommittee can be obtained on request to its secretary.

Where a normative part of this EN allows for a choice to be made at the national level, the range and possible choice will be given in the normative text, and a note will qualify it as a Nationally Determined Parameter (NDP). NDPs can be a specific value for a factor, a specific level or class, a particular method or a particular application rule if several are proposed in the EN.

To enable EN 1991-1-4 to be used in the UK, the NDPs have now been published in a National Annex.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

#### **EUROPEAN STANDARD**

### NORME EUROPÉENNE

## **EUROPÄISCHE NORM**

EN 1991-1-4:2005+A1

April 2010

ICS 91.010.30

Supersedes ENV 1991-2-4:1995 Incorporating corrigendum January 2010

English version

#### Eurocode 1: Actions on structures - Part 1-4: General actions -Wind actions

Eurocode 1: - Actions sur les structures - Partie 1-4: Actions générales - Actions du vent Eurocode 1: Einwirkungen auf Tragwerke - Teil 1-4: Allgemeine Einwirkungen - Windlasten

This European Standard was approved by CEN on 4 June 2004.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

© 2010 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. EN 1991-1-4:2005: E

## Contents

1.3 Ass 1.4 Dis 1.5 Des 1.6 Def		9 9 10 10 10 10 10 11
Section 2	Design situations	16
3.3 Cla	presentations of wind actions ssification of wind actions aracteristic values	17 17 17 17 17 17
4.1 Bas 4.2 Bas 4.3 Me 4.3.1 4.3.2 4.3.3 4.3.4 4.3.5 4.4 Wir	Wind velocity and velocity pressure sis for calculation sic values an wind Variation with height Terrain roughness Terrain orography Large and considerably higher neighbouring structures Closely spaced buildings and obstacles ad turbulence as velocity pressure	18 18 19 19 19 21 21 22 22 22
5.1 Gei 5.2 Wir	Wind actions neral nd pressure on surfaces nd forces	24 24 24 25
6.3 Det 6.3.1 6.3.2		28 28 28 28 28 30 30
7.1.1 7.1.2 7.1.3 7.2 Pre 7.2.1 7.2.2 7.2.3 7.2.4 7.2.5 7.2.6	Hipped roofs Multispan roofs	31 31 32 32 33 33 34 37 40 43 47 48 50

#### BS EN 1991-1-4:2005+A1:2010 EN 1991-1-4:2005+A1:2010 (E)

7.2.0 Internel preseure	
7.2.9 Internal pressure	51
7.2.10 Pressure on walls or roofs with more than one skin	53
7.3 Canopy roofs	54
7.4 Free-standing walls, parapets, fences and signboards	61
7.4.1 Free-standing walls and parapets	61
7.4.2 Shelter factors for walls and fences	63
7.4.3 Signboards	63
7.5 Friction coefficients	64
7.6 Structural elements with rectangular sections	65
7.7 Structural elements with sharp edged section	67
7.8 Structural elements with regular polygonal section	67
7.9 Circular cylinders	69
7.9.1 External pressure coefficients	69
7.9.2 Force coefficients	71
7.9.3 Force coefficients for vertical cylinders in a row arrangement	74
7.10 Spheres	74
7.11 Lattice structures and scaffoldings	76
7.12 Flags	78
7.13 Effective slenderness $\lambda$ and end-effect factor $\psi_{\lambda}$	80
Section 9 Wind actions on bridges	82
Section 8 Wind actions on bridges	
8.1 General	82
8.2 Choice of the response calculation procedure	85
8.3 Force coefficients	85
8.3.1 Force coefficients in x-direction (general method)	85
8.3.2 Force in x-direction – Simplified Method	88
8.3.3 Wind forces on bridge decks in z-direction	89
8.3.4 Wind forces on bridge decks in y-direction	90
8.4 Bridge piers	91
8.4.1 Wind directions and design situations	91
8.4.2 Wind effects on piers	91
•	
Annex A (informative) Terrain effects	92
Annex A (informative) Terrain effects A.1 Illustrations of the upper roughness of each terrain category	92 92
A.1 Illustrations of the upper roughness of each terrain category	92
<ul> <li>A.1 Illustrations of the upper roughness of each terrain category</li> <li>A.2 Transition between roughness categories 0, I, II, III and IV</li> </ul>	92 93
<ul> <li>A.1 Illustrations of the upper roughness of each terrain category</li> <li>A.2 Transition between roughness categories 0, I, II, III and IV</li> <li>A.3 Numerical calculation of orography coefficients</li> </ul>	92 93 95
<ul> <li>A.1 Illustrations of the upper roughness of each terrain category</li> <li>A.2 Transition between roughness categories 0, I, II, III and IV</li> <li>A.3 Numerical calculation of orography coefficients</li> <li>A.4 Neighbouring structures</li> </ul>	92 93 95 100
<ul> <li>A.1 Illustrations of the upper roughness of each terrain category</li> <li>A.2 Transition between roughness categories 0, I, II, III and IV</li> <li>A.3 Numerical calculation of orography coefficients</li> <li>A.4 Neighbouring structures</li> <li>A.5 Displacement height</li> </ul>	92 93 95 100 101
<ul> <li>A.1 Illustrations of the upper roughness of each terrain category</li> <li>A.2 Transition between roughness categories 0, I, II, III and IV</li> <li>A.3 Numerical calculation of orography coefficients</li> <li>A.4 Neighbouring structures</li> <li>A.5 Displacement height</li> </ul> Annex B (informative) Procedure 1 for determining the structural factor c <sub>s</sub> c <sub>d</sub>	92 93 95 100 101 102
<ul> <li>A.1 Illustrations of the upper roughness of each terrain category</li> <li>A.2 Transition between roughness categories 0, I, II, III and IV</li> <li>A.3 Numerical calculation of orography coefficients</li> <li>A.4 Neighbouring structures</li> <li>A.5 Displacement height</li> </ul> Annex B (informative) Procedure 1 for determining the structural factor c <sub>s</sub> c <sub>d</sub> B.1 Wind turbulence	92 93 95 100 101 102 102
<ul> <li>A.1 Illustrations of the upper roughness of each terrain category</li> <li>A.2 Transition between roughness categories 0, I, II, III and IV</li> <li>A.3 Numerical calculation of orography coefficients</li> <li>A.4 Neighbouring structures</li> <li>A.5 Displacement height</li> </ul> Annex B (informative) Procedure 1 for determining the structural factor c <sub>s</sub> c <sub>d</sub> <ul> <li>B.1 Wind turbulence</li> <li>B.2 Structural factor</li> </ul>	92 93 95 100 101 102 102 103
<ul> <li>A.1 Illustrations of the upper roughness of each terrain category</li> <li>A.2 Transition between roughness categories 0, I, II, III and IV</li> <li>A.3 Numerical calculation of orography coefficients</li> <li>A.4 Neighbouring structures</li> <li>A.5 Displacement height</li> </ul> Annex B (informative) Procedure 1 for determining the structural factor c <sub>s</sub> c <sub>d</sub> <ul> <li>B.1 Wind turbulence</li> <li>B.2 Structural factor</li> <li>B.3 Number of loads for dynamic response</li> </ul>	92 93 95 100 101 102 102
<ul> <li>A.1 Illustrations of the upper roughness of each terrain category</li> <li>A.2 Transition between roughness categories 0, I, II, III and IV</li> <li>A.3 Numerical calculation of orography coefficients</li> <li>A.4 Neighbouring structures</li> <li>A.5 Displacement height</li> </ul> Annex B (informative) Procedure 1 for determining the structural factor c <sub>s</sub> c <sub>d</sub> <ul> <li>B.1 Wind turbulence</li> <li>B.2 Structural factor</li> <li>B.3 Number of loads for dynamic response</li> <li>B.4 Service displacement and accelerations for serviceability assessments of a</li> </ul>	92 93 95 100 101 102 102 103
<ul> <li>A.1 Illustrations of the upper roughness of each terrain category</li> <li>A.2 Transition between roughness categories 0, I, II, III and IV</li> <li>A.3 Numerical calculation of orography coefficients</li> <li>A.4 Neighbouring structures</li> <li>A.5 Displacement height</li> </ul> Annex B (informative) Procedure 1 for determining the structural factor c <sub>s</sub> c <sub>d</sub> <ul> <li>B.1 Wind turbulence</li> <li>B.2 Structural factor</li> <li>B.3 Number of loads for dynamic response</li> </ul>	92 93 95 100 101 102 102 103
<ul> <li>A.1 Illustrations of the upper roughness of each terrain category</li> <li>A.2 Transition between roughness categories 0, I, II, III and IV</li> <li>A.3 Numerical calculation of orography coefficients</li> <li>A.4 Neighbouring structures</li> <li>A.5 Displacement height</li> </ul> Annex B (informative) Procedure 1 for determining the structural factor c <sub>s</sub> c <sub>d</sub> <ul> <li>B.1 Wind turbulence</li> <li>B.2 Structural factor</li> <li>B.3 Number of loads for dynamic response</li> <li>B.4 Service displacement and accelerations for serviceability assessments of a vertical structure</li> </ul>	92 93 95 100 101 102 102 103 105
<ul> <li>A.1 Illustrations of the upper roughness of each terrain category</li> <li>A.2 Transition between roughness categories 0, I, II, III and IV</li> <li>A.3 Numerical calculation of orography coefficients</li> <li>A.4 Neighbouring structures</li> <li>A.5 Displacement height</li> <li>Annex B (informative) Procedure 1 for determining the structural factor c<sub>s</sub>c<sub>d</sub></li> <li>B.1 Wind turbulence</li> <li>B.2 Structural factor</li> <li>B.3 Number of loads for dynamic response</li> <li>B.4 Service displacement and accelerations for serviceability assessments of a vertical structure</li> </ul>	92 93 95 100 101 102 103 105 105 108
<ul> <li>A.1 Illustrations of the upper roughness of each terrain category</li> <li>A.2 Transition between roughness categories 0, I, II, III and IV</li> <li>A.3 Numerical calculation of orography coefficients</li> <li>A.4 Neighbouring structures</li> <li>A.5 Displacement height</li> <li>Annex B (informative) Procedure 1 for determining the structural factor c<sub>s</sub>c<sub>d</sub></li> <li>B.1 Wind turbulence</li> <li>B.2 Structural factor</li> <li>B.3 Number of loads for dynamic response</li> <li>B.4 Service displacement and accelerations for serviceability assessments of a vertical structure</li> <li>Annex C (informative) Procedure 2 for determining the structural factor c<sub>s</sub>c<sub>d</sub></li> <li>C.1 Wind turbulence</li> </ul>	92 93 95 100 101 102 103 105 105 108 108
<ul> <li>A.1 Illustrations of the upper roughness of each terrain category</li> <li>A.2 Transition between roughness categories 0, I, II, III and IV</li> <li>A.3 Numerical calculation of orography coefficients</li> <li>A.4 Neighbouring structures</li> <li>A.5 Displacement height</li> </ul> Annex B (informative) Procedure 1 for determining the structural factor c <sub>s</sub> c <sub>d</sub> <ul> <li>B.1 Wind turbulence</li> <li>B.2 Structural factor</li> <li>B.3 Number of loads for dynamic response</li> <li>B.4 Service displacement and accelerations for serviceability assessments of a vertical structure</li> </ul> Annex C (informative) Procedure 2 for determining the structural factor c <sub>s</sub> c <sub>d</sub> <ul> <li>C.1 Wind turbulence</li> <li>C.2 Structural factor</li> </ul>	92 93 95 100 101 102 103 105 105 108 108 108
<ul> <li>A.1 Illustrations of the upper roughness of each terrain category</li> <li>A.2 Transition between roughness categories 0, I, II, III and IV</li> <li>A.3 Numerical calculation of orography coefficients</li> <li>A.4 Neighbouring structures</li> <li>A.5 Displacement height</li> </ul> Annex B (informative) Procedure 1 for determining the structural factor c <sub>s</sub> c <sub>d</sub> <ul> <li>B.1 Wind turbulence</li> <li>B.2 Structural factor</li> <li>B.3 Number of loads for dynamic response</li> <li>B.4 Service displacement and accelerations for serviceability assessments of a vertical structure</li> </ul> Annex C (informative) Procedure 2 for determining the structural factor c <sub>s</sub> c <sub>d</sub> <ul> <li>C.1 Wind turbulence</li> <li>C.2 Structural factor</li> <li>C.3 Number of loads for dynamic response</li> </ul>	92 93 95 100 101 102 103 105 105 108 108 108 108 108
<ul> <li>A.1 Illustrations of the upper roughness of each terrain category</li> <li>A.2 Transition between roughness categories 0, I, II, III and IV</li> <li>A.3 Numerical calculation of orography coefficients</li> <li>A.4 Neighbouring structures</li> <li>A.5 Displacement height</li> </ul> Annex B (informative) Procedure 1 for determining the structural factor c <sub>s</sub> c <sub>d</sub> <ul> <li>B.1 Wind turbulence</li> <li>B.2 Structural factor</li> <li>B.3 Number of loads for dynamic response</li> <li>B.4 Service displacement and accelerations for serviceability assessments of a vertical structure</li> </ul> Annex C (informative) Procedure 2 for determining the structural factor c <sub>s</sub> c <sub>d</sub> <ul> <li>C.1 Wind turbulence</li> <li>C.2 Structural factor</li> </ul>	92 93 95 100 101 102 103 105 105 108 108 108
<ul> <li>A.1 Illustrations of the upper roughness of each terrain category</li> <li>A.2 Transition between roughness categories 0, I, II, III and IV</li> <li>A.3 Numerical calculation of orography coefficients</li> <li>A.4 Neighbouring structures</li> <li>A.5 Displacement height</li> </ul> Annex B (informative) Procedure 1 for determining the structural factor c <sub>s</sub> c <sub>d</sub> <ul> <li>B.1 Wind turbulence</li> <li>B.2 Structural factor</li> <li>B.3 Number of loads for dynamic response</li> <li>B.4 Service displacement and accelerations for serviceability assessments of a vertical structure</li> </ul> Annex C (informative) Procedure 2 for determining the structural factor c <sub>s</sub> c <sub>d</sub> <ul> <li>C.1 Wind turbulence</li> <li>C.2 Structural factor</li> <li>C.3 Number of loads for dynamic response</li> </ul>	92 93 95 100 101 102 103 105 105 108 108 108 108 108
A.1 Illustrations of the upper roughness of each terrain category A.2 Transition between roughness categories 0, I, II, III and IV A.3 Numerical calculation of orography coefficients A.4 Neighbouring structures A.5 Displacement height Annex B (informative) Procedure 1 for determining the structural factor $c_s c_d$ B.1 Wind turbulence B.2 Structural factor B.3 Number of loads for dynamic response B.4 Service displacement and accelerations for serviceability assessments of a vertical structure Annex C (informative) Procedure 2 for determining the structural factor $c_s c_d$ C.1 Wind turbulence C.2 Structural factor C.3 Number of loads for dynamic response C.4 Service displacement and accelerations for serviceability assessments Annex D (informative) $c_s c_d$ values for different types of structures	92 93 95 100 101 102 102 103 105 105 105 108 108 108 109 109 109
<ul> <li>A.1 Illustrations of the upper roughness of each terrain category</li> <li>A.2 Transition between roughness categories 0, I, II, III and IV</li> <li>A.3 Numerical calculation of orography coefficients</li> <li>A.4 Neighbouring structures</li> <li>A.5 Displacement height</li> </ul> Annex B (informative) Procedure 1 for determining the structural factor c <sub>s</sub> c <sub>d</sub> <ul> <li>B.1 Wind turbulence</li> <li>B.2 Structural factor</li> <li>B.3 Number of loads for dynamic response</li> <li>B.4 Service displacement and accelerations for serviceability assessments of a vertical structure</li> </ul> Annex C (informative) Procedure 2 for determining the structural factor c <sub>s</sub> c <sub>d</sub> <ul> <li>C.1 Wind turbulence</li> <li>C.2 Structural factor</li> <li>C.3 Number of loads for dynamic response</li> <li>C.4 Service displacement and accelerations for serviceability assessments</li> </ul> Annex D (informative) c <sub>s</sub> c <sub>d</sub> values for different types of structures Annex E (informative) Vortex shedding and aeroelastic instabilities	92 93 95 100 101 102 102 103 105 105 108 108 108 109 109 109 111
A.1 Illustrations of the upper roughness of each terrain category A.2 Transition between roughness categories 0, I, II, III and IV A.3 Numerical calculation of orography coefficients A.4 Neighbouring structures A.5 Displacement height Annex B (informative) Procedure 1 for determining the structural factor $c_s c_d$ B.1 Wind turbulence B.2 Structural factor B.3 Number of loads for dynamic response B.4 Service displacement and accelerations for serviceability assessments of a vertical structure Annex C (informative) Procedure 2 for determining the structural factor $c_s c_d$ C.1 Wind turbulence C.2 Structural factor C.3 Number of loads for dynamic response C.4 Service displacement and accelerations for serviceability assessments Annex D (informative) $c_s c_d$ values for different types of structures Annex E (informative) Vortex shedding and aeroelastic instabilities E.1 Vortex shedding	92 93 95 100 101 102 102 103 105 105 108 108 108 109 109 109 111 114
<ul> <li>A.1 Illustrations of the upper roughness of each terrain category</li> <li>A.2 Transition between roughness categories 0, I, II, III and IV</li> <li>A.3 Numerical calculation of orography coefficients</li> <li>A.4 Neighbouring structures</li> <li>A.5 Displacement height</li> </ul> Annex B (informative) Procedure 1 for determining the structural factor c <sub>s</sub> c <sub>d</sub> <ul> <li>B.1 Wind turbulence</li> <li>B.2 Structural factor</li> <li>B.3 Number of loads for dynamic response</li> <li>B.4 Service displacement and accelerations for serviceability assessments of a vertical structure</li> </ul> Annex C (informative) Procedure 2 for determining the structural factor c <sub>s</sub> c <sub>d</sub> <ul> <li>C.1 Wind turbulence</li> <li>C.2 Structural factor</li> <li>C.3 Number of loads for dynamic response</li> <li>C.4 Service displacement and accelerations for serviceability assessments</li> </ul> Annex D (informative) c <sub>s</sub> c <sub>d</sub> values for different types of structures Annex E (informative) Vortex shedding and aeroelastic instabilities E.1 Vortex shedding E.1.1 General	92 93 95 100 101 102 103 105 105 108 108 108 109 109 109 111 114 114
<ul> <li>A.1 Illustrations of the upper roughness of each terrain category</li> <li>A.2 Transition between roughness categories 0, I, II, III and IV</li> <li>A.3 Numerical calculation of orography coefficients</li> <li>A.4 Neighbouring structures</li> <li>A.5 Displacement height</li> </ul> Annex B (informative) Procedure 1 for determining the structural factor c <sub>s</sub> c <sub>d</sub> <ul> <li>B.1 Wind turbulence</li> <li>B.2 Structural factor</li> <li>B.3 Number of loads for dynamic response</li> <li>B.4 Service displacement and accelerations for serviceability assessments of a vertical structure</li> </ul> Annex C (informative) Procedure 2 for determining the structural factor c <sub>s</sub> c <sub>d</sub> <ul> <li>C.1 Wind turbulence</li> <li>C.2 Structural factor</li> <li>C.3 Number of loads for dynamic response</li> <li>C.4 Service displacement and accelerations for serviceability assessments</li> </ul> Annex D (informative) c <sub>s</sub> c <sub>d</sub> values for different types of structures Annex E (informative) Vortex shedding and aeroelastic instabilities E.1 General E.1.1 General E.1.2 Criteria for vortex shedding	92 93 95 100 101 102 103 105 105 108 108 108 108 109 109 109 111 114 114 114
<ul> <li>A.1 Illustrations of the upper roughness of each terrain category</li> <li>A.2 Transition between roughness categories 0, I, II, III and IV</li> <li>A.3 Numerical calculation of orography coefficients</li> <li>A.4 Neighbouring structures</li> <li>A.5 Displacement height</li> </ul> Annex B (informative) Procedure 1 for determining the structural factor c <sub>s</sub> c <sub>d</sub> <ul> <li>B.1 Wind turbulence</li> <li>B.2 Structural factor</li> <li>B.3 Number of loads for dynamic response</li> <li>B.4 Service displacement and accelerations for serviceability assessments of a vertical structure</li> </ul> Annex C (informative) Procedure 2 for determining the structural factor c <sub>s</sub> c <sub>d</sub> <ul> <li>C.1 Wind turbulence</li> <li>C.2 Structural factor</li> <li>C.3 Number of loads for dynamic response</li> <li>C.4 Service displacement and accelerations for serviceability assessments</li> </ul> Annex D (informative) vortex shedding and aeroelastic instabilities <ul> <li>E.1 General</li> <li>E.1.1 General</li> <li>E.1.2 Criteria for vortex shedding</li> <li>E.1.3 Basic parameters for vortex shedding</li> </ul>	92 93 95 100 101 102 103 105 105 108 108 108 108 109 109 109 111 114 114 114 114
<ul> <li>A.1 Illustrations of the upper roughness of each terrain category</li> <li>A.2 Transition between roughness categories 0, I, II, III and IV</li> <li>A.3 Numerical calculation of orography coefficients</li> <li>A.4 Neighbouring structures</li> <li>A.5 Displacement height</li> </ul> Annex B (informative) Procedure 1 for determining the structural factor c <sub>s</sub> c <sub>d</sub> <ul> <li>B.1 Wind turbulence</li> <li>B.2 Structural factor</li> <li>B.3 Number of loads for dynamic response</li> <li>B.4 Service displacement and accelerations for serviceability assessments of a vertical structure</li> </ul> Annex C (informative) Procedure 2 for determining the structural factor c <sub>s</sub> c <sub>d</sub> <ul> <li>C.1 Wind turbulence</li> <li>C.2 Structural factor</li> <li>C.3 Number of loads for dynamic response</li> <li>C.4 Service displacement and accelerations for serviceability assessments</li> </ul> Annex D (informative) c <sub>s</sub> c <sub>d</sub> values for different types of structures Annex E (informative) Vortex shedding and aeroelastic instabilities <ul> <li>E.1 Vortex shedding</li> <li>E.1.1 General</li> <li>E.1.2 Criteria for vortex shedding</li> <li>E.1.3 Basic parameters for vortex shedding</li> <li>E.1.4 Vortex shedding action</li> </ul>	92 93 95 100 101 102 103 105 105 108 108 108 108 109 109 111 114 114 114 114 115 118
<ul> <li>A.1 Illustrations of the upper roughness of each terrain category</li> <li>A.2 Transition between roughness categories 0, I, II, III and IV</li> <li>A.3 Numerical calculation of orography coefficients</li> <li>A.4 Neighbouring structures</li> <li>A.5 Displacement height</li> </ul> Annex B (informative) Procedure 1 for determining the structural factor c <sub>s</sub> c <sub>d</sub> <ul> <li>B.1 Wind turbulence</li> <li>B.2 Structural factor</li> <li>B.3 Number of loads for dynamic response</li> <li>B.4 Service displacement and accelerations for serviceability assessments of a vertical structure</li> </ul> Annex C (informative) Procedure 2 for determining the structural factor c <sub>s</sub> c <sub>d</sub> <ul> <li>C.1 Wind turbulence</li> <li>C.2 Structural factor</li> <li>C.3 Number of loads for dynamic response</li> <li>C.4 Service displacement and accelerations for serviceability assessments</li> </ul> Annex D (informative) c <sub>s</sub> c <sub>d</sub> values for different types of structures Annex E (informative) Vortex shedding and aeroelastic instabilities <ul> <li>E.1 Vortex shedding</li> <li>E.1.1 General</li> <li>E.1.2 Criteria for vortex shedding</li> <li>E.1.3 Basic parameters for vortex shedding</li> <li>E.1.4 Vortex shedding action</li> <li>E.1.5 Calculation of the cross wind amplitude</li> </ul>	92 93 95 100 101 102 102 103 105 105 108 108 108 108 109 109 109 111 114 114 114 114 115 118 118
<ul> <li>A.1 Illustrations of the upper roughness of each terrain category</li> <li>A.2 Transition between roughness categories 0, I, II, III and IV</li> <li>A.3 Numerical calculation of orography coefficients</li> <li>A.4 Neighbouring structures</li> <li>A.5 Displacement height</li> <li>Annex B (informative) Procedure 1 for determining the structural factor c<sub>s</sub>c<sub>d</sub></li> <li>B.1 Wind turbulence</li> <li>B.2 Structural factor</li> <li>B.3 Number of loads for dynamic response</li> <li>B.4 Service displacement and accelerations for serviceability assessments of a vertical structure</li> <li>Annex C (informative) Procedure 2 for determining the structural factor c<sub>s</sub>c<sub>d</sub></li> <li>C.1 Wind turbulence</li> <li>C.2 Structural factor</li> <li>C.3 Number of loads for dynamic response</li> <li>C.4 Service displacement and accelerations for serviceability assessments</li> <li>Annex D (informative) Vorcedure 2 for determining the structural factor c<sub>s</sub>c<sub>d</sub></li> <li>Annex D (informative) Vortex shedding and aeroelastic instabilities</li> <li>E.1 Vortex shedding</li> <li>E.1.1 General</li> <li>E.1.2 Criteria for vortex shedding</li> <li>E.1.3 Basic parameters for vortex shedding</li> <li>E.1.4 Vortex shedding action</li> <li>E.1.5 Calculation of the cross wind amplitude</li> <li>E.1.6 Measures against vortex induced vibrations</li> </ul>	92 93 95 100 101 102 102 103 105 105 105 108 108 109 109 109 109 111 114 114 114 114 114 115 118 118 128
<ul> <li>A.1 Illustrations of the upper roughness of each terrain category</li> <li>A.2 Transition between roughness categories 0, I, II, III and IV</li> <li>A.3 Numerical calculation of orography coefficients</li> <li>A.4 Neighbouring structures</li> <li>A.5 Displacement height</li> </ul> Annex B (informative) Procedure 1 for determining the structural factor c <sub>s</sub> c <sub>d</sub> <ul> <li>B.1 Wind turbulence</li> <li>B.2 Structural factor</li> <li>B.3 Number of loads for dynamic response</li> <li>B.4 Service displacement and accelerations for serviceability assessments of a vertical structure</li> </ul> Annex C (informative) Procedure 2 for determining the structural factor c <sub>s</sub> c <sub>d</sub> <ul> <li>C.1 Wind turbulence</li> <li>C.2 Structural factor</li> <li>C.3 Number of loads for dynamic response</li> <li>C.4 Service displacement and accelerations for serviceability assessments</li> </ul> Annex D (informative) c <sub>s</sub> c <sub>d</sub> values for different types of structures Annex E (informative) Vortex shedding and aeroelastic instabilities <ul> <li>E.1 Vortex shedding</li> <li>E.1.1 General</li> <li>E.1.2 Criteria for vortex shedding</li> <li>E.1.3 Basic parameters for vortex shedding</li> <li>E.1.4 Vortex shedding action</li> <li>E.1.5 Calculation of the cross wind amplitude</li> </ul>	92 93 95 100 101 102 102 103 105 105 108 108 108 108 109 109 109 111 114 114 114 114 115 118 118

#### BS EN 1991-1-4:2005+A1:2010 EN 1991-1-4:2005+A1:2010 (E)

E.2.2 Onset wind velocity	129
E.2.3 Classical galloping of coupled cylinders	131
E.3 Interference galloping of two or more free standing cylinders	133
E.4 Divergence and Flutter	134
E.4.1 General	134
E.4.2 Criteria for plate-like structures	134
E.4.3 Divergency velocity	134
Annex F (informative) Dynamic characteristics of structures	136
F.1 General	136
F.2 Fundamental frequency	136
F.3 Fundamental mode shape	141
F.4 Equivalent mass	143
F.5 Logarithmic decrement of damping	143
Bibliography	146